## STATE OF VERMONT PUBLIC SERVICE BOARD

Dig Safe Notice No. 648

In Re: Comcast, Alleged Violation of August 25, 2009, as reported by Comcast	)
	Order entered: 1/22/2010

## **ORDER RE: NOTICE OF PROBABLE VIOLATION**

## **Background**

- 1. Pursuant to 30 V.S.A. § 7001 et. seq., and Vermont Public Service Board Rule 3.800, the Vermont Department of Public Service ("Department") issued a Notice of Probable Violation of Underground Utility Damage Prevention System ("NOPV") to Comcast ("Respondent").
- 2. Incident Date: August 25, 2009
- 3. Incident Location: 90 Fontaine Road, Milton, VT
- 4. <u>Name and Address of Company that Reported the Incident to the Department</u>: Comcast, 676 Island Pond Road, Manchester, NH 03109
- 5. Date Incident Reported to Effected Utility: August 25, 2009
- 6. Date NOPV issued by Department: December 24, 2009 (#1685)
- 7. Department's Statement of Evidence Supporting the Alleged Violation: "The Department of Public Service investigated this incident and determined the following details. On 8/12/09, Vermont Gas Systems made a notice of excavation activities to install a gas service at this site to Dig Safe System Inc. Comcast did not locate and mark an underground cable in the area of the proposed excavation. The excavating resulted in damage to this unmarked Comcast cable at the site. This damaged cable resulted in a loss of service to 25 customers for 2 hours. VGS notified Comcast of the damaged facility. The Department of Public Service issued 14 Notices of Probable Violation (NOPVs) to Comcast during the 12 months preceding this incident."
- 8. Statute, Rule, Regulation or Order Allegedly violated: 30 V.S.A. § 7006
- 9. The Department's Recommended Remedial Action(s) (Including Civil Penalties): Civil penalty in the amount of One Thousand Two Hundred Dollars (\$1,200.00).

Dig Safe Notice No. 648

10. The Respondent has agreed to take the remedial action(s) recommended by the Department.<sup>1</sup>

## **Conclusion and Order**

Because the Respondent has not contested the NOPV, or the allegations therein, we conclude that the remedial action proposed in the NOPV is appropriate, and should be imposed.<sup>2</sup>

WHEREFORE, IT IS HEREBY ORDERED, ADJUDGED AND DECREED by the Public Service Board of the State of Vermont that:

Within thirty days of the date of this Order, Comcast of Connecticut/Georgia/Massachusetts/New Hampshire/New York/North Carolina/Virginia/Vermont, d/b/a Comcast, shall pay a civil penalty in the amount of One Thousand Two Hundred Dollars (\$1,200.00) by submitting to the Public Service Board a check in that amount made payable to the State of Vermont, and sent to the Public Service Board at 112 State Street, Montpelier, VT 05620-2701.

Dated at Montpelier, Vermont, this <u>22<sup>nd</sup></u> day of <u>January</u>	, 2010.
s/James Volz	) Public Service
s/David C. Coen	) Board
s/John D. Burke	OF VERMONT
Office of the Clerk	
FILED: January 22, 2010	

NOTICE TO READERS: This decision is subject to revision of technical errors. Readers are requested to notify the Clerk of the Board (by e-mail, telephone, or in writing) of any apparent errors, in order that any necessary corrections may be made. (E-mail address: psb.clerk@state.vt.us)

Appeal of this decision to the Supreme Court of Vermont must be filed with the Clerk of the Board within thirty days. Appeal will not stay the effect of this Order, absent further Order by this Board or appropriate action by the Supreme Court of Vermont. Motions for reconsideration or stay, if any, must be filed with the Clerk of the Board within ten days of the date of this decision and order.

ATTEST: s/Susan M. Hudson

Clerk of the Board

<sup>1.</sup> See, Respondent's filing of 1/11/10.

<sup>2.</sup> See, Public Service Board Rule 3.807(G).